

Astilbe

Grade #1 Bare Root

Container:

Trade 1 Gallon Container

Finish:

8-10 weeks

Growing Temperature:

55-60° F

Soil pH:

5.8-6.2

Fertility:

Feed 75-125 ppm N at each watering.

Pests and Diseases:

Japanese beetle, whiteflies (in greenhouse), tarnished plant bug, water stress injury.

Bacterial blights, powdery mildew(Erisyphe), wilt (Fusarium)

Planting Level:

Eyes should be just below soil surface.

PGRs/Pinching:

If needed apply Sumagic (Uniconazole) at 5 ppm when flower stems begin to appear above the foliage.

Lighting:

Day neutral

Holding Temperature:

45-55° F

EC Level:

1.5-2.5 pour through method

Vernalization:

Required cold for 10-12 weeks at 40° F or below.

Potting and Timing:

Begin growing plants cool at 55-60° F for the first week. Increase temperature to speed flowering or lower temperature to delay flowering.

Moisture:

Astilbe require frequent irrigation. If plants dry out, their foliage turns irreversibly brown and crispy, thereby rendering them unsaleable. The most critical growing factor for Astilbe is water. Increase watering as the foliage emerges and plumes mature. Plants should *never* be allowed to dry out. If the margins of the leaves turn brown and crispy, the plants are not being kept moist enough. Try to avoid watering after mid-afternoon. Shading (shade cloth) will also help reduce stress on the plants.

Grower Tips:

They are sensitive to high salts and may become scorched and have damaged roots if the soluble salt levels are allowed to build up.

Apply a broad spectrum fungicide at transplant to prevent root and crown diseases.



WaltersGardens
INC

P.O. Box 137 • 1992 96th Ave. Zeeland, MI. 49464

Phone: 888-925-8377 • Fax: 800-752-1879

Email: sales@waltersgardens.com

www.WaltersGardens.com • www.PerennialResource.com

www.ProvenWinners.com